

Orthotics Suggested Coding

Table of Contents

| Custom Orthotics | Page |
|---|-------------|
| AFO, KAFO, HKAFO | 2 |
| Orthotic Components | |
| Ankle Joints | 3 |
| Footplates and Foot Inserts | 5 |
| Hip Joints | 6 |
| Knee Joints | 7 |
| Bracing and Supports | |
| Cervical | 9 |
| Foot and Ankle | 10 |
| Hip | 11 |
| Knee (Rigid Ligament, ROM, Hinged, Patellofemoral, Post-Op) | 12 |
| Spine | 14 |
| Upper Extremity (Shoulder, Elbow, Wrist, Hand) | 16 |

If you need help

Contact the Ottobock Reimbursement Team

- Call 800-328-4058 and ask for Reimbursement
- Email your request to reimbursement911@ottobock.com

| Item | Description | Suggested HCPCS Coding: |
|-------------------------|-------------------------------------|---|
| AFO, KAFO, HKAFO | | |
| 170K1=OBA | Free Walk Orthosis, Kit | L2005 (Base Code) PDAC Verified |
| 17B203 | E-MAG Active (Version 3) | Contact reimbursement for assistance 800 328 4058 /reimbursement911@ottobock.com |
| 17CF1 | Carbon Ankle seven | AFO Coding Only: L1945 (Base Code) + L2755 + L2820 + L2999, If Applicable: L2275 OR L1940 (Base Code) + L2340 (Pretibial shell must be no ; 3 in. proximal to medial malleolus) + L2755 + L2820 + L2999, If Applicable: L2275 KAFO Coding: (Base code varies) + appropriate add on codes |
| 17H100 | RGO Hip Joint System | Base Code: L2036 (x2) or L2037 (x2) Pelvic Section: L2570 + L2627 + L2680 (x2) + L2768 (x2) + L2999 (pelvic rotation feature) Knee Section: L2415 (x2 or x4)+ L2395 (x2 or x4) Ankle Section Options: L2250 (x2 or x4) , L2200 (x2 or x4), L2210 (x2 or x4), L2220 (x2 or x4) Additional Options: L2340 (Special Request, x2), L2820 (x2), L2830 (x2), L2492, L2780 PDAC Verified for L2999 only |
| 17KO1 | C-Brace | See: C-Brace Reimbursement Tool Kit Restrictions to Coding and/or Coverage may apply |
| 17LK3 | Unilateral Knee Joint | If configured with Knee Lever Lock: Base code (L2036/L2037) + L2492 (lift loop, 4F18 ordered in addition) + L2200/L2210/L2220 for ankle joint(s) If configured with Cable Control Lock: Base Code (L2036 or L2037) + L2415 + L2200/L2210/L2220 for ankle joint(s) If configured as Free Motion: Base Code (L2036 or L2037) + L2200/L2210/L2220 for ankle joints(s) If Applicable: L2250 Double upright: add L2385 if >300 # |
| 28U11=K | WalkOn AFO | L1951 PDAC Verified |
| 28U22 | Walk On Flex | L1951 PDAC Verified |
| 28U23 | WalkOn Trimable | L1951 PDAC Verified |
| 28U24 | WalkOn Reaction Ankle Foot Orthosis | L1932 If Applicable: L2270 (T strap) PDAC Verified |
| 28U25 | WalkOn Reaction Plus | L1932 |
| 28U50 | Malleo Neurexa pro | L1930 |
| 28U70 | GoOn | L4398 PDAC Verified |
| 28U90 | Thermoplastic AFO | L1930 |
| 50S1 | Dyna Ankle - Dynamic Ankle Orthosis | L1951 |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|--|--|---|
| Orthotic Components: Ankle Joints | | |
| 17AD1* | Ankle jt, Stirrup, Dual Action, pair | Initial: (Base Code) + L2220 per joint Replacement: L2220 If Applicable: L2250 |
| 17AD100 | Nextgear Tango | L2220 If applicable: L2250 for the footplate |
| 17AF10 | X-ible | L2200 per joint when used with 17S2-A/P Snap Stop |
| 17AF10=*-DA | X-ible w/dorsi assist | L2210 per joint when used with 17S2-A/P Snap Stop |
| 17AF2* | Ankle Jt, Contour, pair | Initial: Included in Base Code Replacement: L4210 |
| 17B53 | System-Toe Pick-up Ank.Jt. | Initial: (Base Code) + L2210 Replacement: L2210 If Applicable: L2250 |
| 17B54 | System-Limit Mot. Ankle Jt. | Initial: (Base Code) + L2210 Replacement: L2210 If Applicable: L2250 |
| 17B57* | Ankle Jt, Lim Motion, pair | Initial: (Base Code) + L2200 per joint Replacement: L2200 |
| 17B59* | Ankle Jt, Toe Pick-up, pair | Initial: (Base Code) + L2210 per joint Replacement: L2210 |
| 17B62* | Ankle Jt, Contour, ROM, pair | Initial: (Base Code) + L2200 per joint Replacement: L2200 |
| 17B63 | System-Toe Pick-Up Ankle Joint | Initial: (Base Code) + L2210 Replacement: L2210 If Applicable: L2250 |
| 17B98* | Ankle Jt, Stirrup, Toe Pick-up, pair | Initial: (Base Code) + L2210 per joint Replacement: L2210 If Applicable: L2250 |
| 17F24* | Ankle Jt, Stirrup, fixed, pair | Initial: Included in Base Code Replacement: L4210 If Applicable: L2250 |
| 17F34* | Ankle Jt, Stirrup, fixed, pair | Initial: Included in Base Code Replacement: L4210 If Applicable: L2250 |
| 17F35 | System-Caliper Plate | Initial: (Base Code) + L2230 Replacement: L2230 |
| 17F46* | Ankle Jt, Stirrup, lim, pair | Initial: (Base Code) + L2200 per joint Replacement: L2200 If Applicable: L2250 |
| 17F47* | Ankle Jt, Stirrup, Toe Pick-up, pair | Initial: (Base Code) + L2210 per joint Replacement: L2210 If Applicable: L2250 |
| 17F53 | Ankle Jt, Stirrup, Dual Action, Pair | (Base) + L2220 per joint Replacement: L2220 |
| 17F65* | Ankle Jt, Stirrup, Dual Action, Titanium | Initial: (Base Code) + L2220 Replacement: L2220 If Applicable: L2250 If Applicable: L2385 for patient weight over 300lbs |
| 17LA3N | Unilateral Ankle Jt | L2220 Replacement: L2220 |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|-----------|--------------------------------------|--|
| 17PA1 | Aqualine orthotic ankle joint | For KAFO use: Base Code (L2036) + L2220 For AFO use: Base Code (L1970) + L2220 + L2250 + L2275 (if applicable) |
| 17PF1 | Foot Stirrup for Plastic Ankle Joint | Included in L2250 Replacement: L4210 |
| 17S1=A-D1 | Snapstop Mold Blank | Included in coding for Snapstop L2200 per joint |
| 17S1=P | Snapstop | Replacement: L2200 |
| 17S2=A-MB | Snapstop Mold Blank | Included in coding for Snapstop |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|---|--|-------------------------|
| Orthotic Components: Footplates and Foot Inserts | | |
| 4-11 | Silicone 3/4-Length Insole | L3040 OTS |
| 4-12 | Silicone Full-Length Insole with Met Pad | L3040 OTS |
| 4-13 | Silicone Full-Length Insole w/o Met Pad | L3050 OTS |
| SL=A | Arched Carbon Foot Plate | L3031 |
| SL=CFP | Contoured Carbon Foot Plate | L3031 |
| SL=F | Flat Carbon Foot Plate | L3031 |
| SL=HA | Half Inch Arched CFP | L3031 |
| SL=ME | Mortons Extension | L2360 OTS |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|--|------------------------------|--|
| Orthotic Components: Hip Joints | | |
| 17B82* | Hip Jt, Free Motion | Initial: (Base Code) + L2600 Replacement: L2600 |
| 17H23* | Hip Joint for Derotation | Initial: (Base Code) + L2600 Replacement: L2600 |
| 17H26* | Hip Jt with Ring Lock, Child | Initial: (Base Code) + L2600 + L2610 Replacement: L2600 + L2610 |
| 17H28* | Hip Jt with Ring Lock, Child | Initial: (Base Code) + L2600 + L2610 Replacement: L2600 + L2610 |
| 17H29* | Hip Jt Child, Free Moving | Initial: (Base Code) + L2600 Replacement: L2600 |
| 17H34* | Hip Jt with Ring Lock | Initial: (Base Code) + L2600 + L2610 Replacement: L2600 + L2610 |
| 17H35* | Hip Jt with Ring Lock | Initial: (Base Code) + L2600 + L2610 Replacement: L2600 + L2610 |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|---|---|--|
| Orthotic Components: Knee Joints | | |
| 17B105=* /106=* | Knee Jt, Wedge Lock, Cable Pull, pair | Initial: (Base Code) + (L2405 + L2415 per joint) Replacement: L2405 + L2415 |
| 17B20 | Syst.Ring Lock Joint Head | Initial: (Base Code) L2405 Replacement: L2405 If Applicable: L2385 for patient weight over 300lbs |
| 17B21 | Syst. Ring Lock Joint Head | Initial: (Base Code) L2405 Replacement: L2405 If Applicable: L2385 for patient weight over 300lbs |
| 17B23 | System Covered Bale Lock Knee Joint | Initial: (Base Code) + L2415 Replacement: L2415 If Applicable: L2385 for patient weight over 300lbs |
| 17B26 | Syst.-Free Motion Jt. Head | Initial: (Base Code) + L2390 Replacement: L2390 |
| 17B3 | Syst.-Free Motion Jt. Head | Initial: (Base Code) + L2390 Replacement: L2390 |
| 17B33 | System-Covered Bale Lock Knee Joint | Initial: (Base Code) + L2415 Replacement: L2415 If Applicable: L2385 for patient weight over 300lbs |
| 17B42 | Syst. Ring Lock Joint Head | Initial: (Base Code) L2405 Replacement: L2405 If Applicable: L2385 for patient weight over 300lbs |
| 17B43 | Syst.-Free Motion Jt.Head | Initial: (Base Code) + L2390 Replacement: L2390 |
| 17B44 | Syst.-Adj.Swiss Lock Knee Joint | Initial: (Base Code) L2415 + L2425 Replacement: L2415 + L2425 If Applicable: L2385 for patient weight over 300lbs |
| 17B45 | System Knee Joint | Initial: (Base Code) + L2415 Replacement: L2415 If Applicable: L2385 for patient weight over 300lbs |
| 17B46 | Syst.-Polycentric Jt. Head | Initial (Base Code) + L2387 Replacement: L2387 |
| 17B47=* | Syst.-Free Motion Jt. Head | Initial: (Base Code) + L2390 Replacement: L2390 |
| 17B71 | Syst.-Polycentric Jt. Head | Initial (Base Code) + L2387 Replacement: L2387 |
| 17B91 | Sys.-Cov.Bale Lock Jt.Hd. | Initial: (Base Code) + L2415 Replacement: L2415 If Applicable: L2385 for patient weight over 300lbs |
| 17B92 | Syst.-Cov.Bale Lock Jt. Hd | Initial: (Base Code) + L2415 Replacement: L2415 If Applicable: L2385 for patient weight over 300lbs |
| 17B95 | Syst.-Cable Release Jt.Hd. | Initial: (Base Code) L2415 Replacement: L2415 If Applicable: L2492 (lift loop)L2385 for patient weight over 300lbs |
| 17B96 | Syst.-Cable Release Jt.Hd. | Initial: (Base Code) L2415 Replacement: L2415 If Applicable: L2492 (lift loop)L2385 for patient weight over 300lbs |
| 17B97=* | Offset Knee Jt, Short Lock Bale, Cable Pull | Initial: (Base Code) + L2390 + L2405 + L2415 Replacement: L2390 + L2405 + L2415 |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|---------|----------------------------------|--|
| 17K29* | Ring Lock Knee Joint | Initial: (Base Code) L2405 Replacement: L2405 |
| 17K32* | Offset Knee Jt, Lim Motion, pair | Initial: (Base Code) + L2390 |
| 17K4* | Polycentric Knee Joint | Initial: (Base Code) + L2387 Replacement: L2387 |
| 17KF10 | Posterior Offset | Initial: (Base Code) + L2390 Replacement: L2390 |
| 17KL20* | Bale Lock Knee Joint | Initial: (Base Code) + L2415 Replacement: L2415 If Applicable: L2385 for patient weight over 300lbs |
| 17KL40* | Lock Knee Joint | Initial: (Base Code) + L2405 Replacement: L2405 If Applicable: L2385 for patient weight over 300lbs |
| 17PK1 | Aqualine orthotic knee joint | If configured as Locked KAFO: Base Code (L2036)+L2390 + L2492 + L2415 If configured as Free Motion: Base Code (L2036) + L2390 |
| 7U56* | Plastic Polyc. Knee Joint | Initial: (Base Code) + L2387 Replacement: L2387 |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|-------------------------------------|----------------------------------|-------------------------|
| Cervical Braces and Supports | | |
| 00103 | 103=8, Necky Anatomic, Grey | L0120 OTS |
| 00104 | 104=10, Necky Anatomic, Grey | L0120 OTS |
| 00105 | 105=12, Necky Anatomic, Grey | L0120 OTS |
| 00155 | Necky ComforT black | L0120 OTS |
| 50C20 | Necky Color Cervical Orthoses | L0120 |
| 50C30 | Necky Collar | L0120 PDAC Verified |
| 50C71 | Ottobock CTO (CTO-SG) | L0200 PDAC Verified |
| 50C72 | Ottobock Cervical SOM (CERV-SG) | L0180 PDAC Verified |
| 50C74 | Cervical Immobilizert | L0174 PDAC Verified |
| 50C76 | Value Collar | L0172 PDAC Verified |
| 50C80 | Cybertech Minerva (MCTO-SG) | L0200 PDAC Verified |
| 50C81 | Cybertech Mini Minerva (MIMO-SG) | L0190 PDAC Verified |
| 50C91 | Smartspine Universal Collar | L0174 PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|---|-------------------------------|-------------------------|
| Foot and Ankle Braces and Supports | | |
| | | Included in base code |
| 29S35 | Heel Wedges | PDAC Verified |
| | | A9270 |
| 29S38 | Rain Cover | PDAC Verified |
| | | A9270 |
| 29S39 | Rain Cover,Low | PDAC Verified |
| | | A9270 |
| 29S45 | Night Cover | PDAC Verified |
| 509=* | Hallux Valgus ComfortT strap | A4467 |
| | | L4387 |
| 50S10-1 | Malleo Immobil Walker | PDAC Verified |
| | | L4387 |
| 50S11-1 | Malleo Immobil Walker low | PDAC Verified |
| | | L4361 |
| 50S12-1 | Malleo Immobil Air Walker | PDAC Verified |
| | | L4361 |
| 50S14-1 | Malleo Immobil Air Walker low | PDAC Verified |
| | | L4387 |
| 50S156=K | Walker | PDAC Verified |
| | | L4361 |
| 50S157=K | Pneumatic Walker | PDAC Verified |
| 50S158 | ROM Walker Boot | L4361 |
| | | L4361 |
| 50S159 | Ottobock Shelled Walker Boot | PDAC Verified |
| | | L1902 |
| 50S16 | Malleo Sprint light | PDAC Verified |
| | | L4397 |
| 50S20-1 | Malleo Immobil Night Splint | PDAC Verified |
| | | L4397 |
| 50S21 | Dynamic Night Splint | PDAC Verified |
| | | L4398 |
| 50S22 | Dorsal Night Splint | PDAC Verified |
| | | L1902 |
| 50S3 | Malleo Sprint | PDAC Verified |
| | | A4467 |
| 50S5 | Malleo Sensa Ankle Support | PDAC Verified |
| | | L4350 |
| 50S9 | Malleo Direxa Stirrup | PDAC Verified |
| 510=* | Hallux Valgus Combo ComfortT | A4467 |
| | | L1906 |
| 7772 | Malleo Arexa | PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|--------------------------------|---------------------------------|--------------------------------------|
| Hip Braces and Supports | | |
| 28L10 | Tubingen Hip Abduction Orthosis | L1650 Prefabricated PDAC Verified |
| 28L20 | Hip Abduction Orthosis | L1650 Prefabricated PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|--|--------------------------------------|--|
| Knee Braces and Supports (Rigid Ligament, ROM, Hinged, Patellofemoral, Post-Op) | | |
| 8353 | Genu Direxa wraparound | L1810 Custom Fit / L1812 OTS PDAC Verified |
| 8359 | Genu Direxa Stable long | L1832 Custom Fit / L1833 OTS PDAC Verified |
| 29K193 | Suspension Sleeve | L2397 PDAC Verified |
| 29K194 | Xeleton Oversleeve | A9270 PDAC Verified |
| 50K13N | Genu Arexa Knee Orthosis | L1845 Custom Fit / L1852 OTS PDAC Verified |
| 50K15 | Genu Sensa | A4467 |
| 50K204 | Telescoping Post-Op Brace,Cool | L1832 Custom Fit / L1833 OTS PDAC Verified |
| 50K205 | Telescoping Post-Op Brace,Premium | L1832 Custom Fit / L1833 OTS PDAC Verified |
| 50K241 | Telescoping Post-Op Brace,Short,Cool | L1832 Custom Fit / L1833 OTS |
| 50K29 | Ottobock, OA Restore, Lf XS Blk | L1845 Custom Fit / L1852 OTS PDAC Verified |
| 50K30 | Xeleton | L1845 Custom Fit / L1852 OTS PDAC Verified |
| 50K301 | Ottobock X-LTE Ligament Knee Brace | L1845 Custom Fit / L1852 OTS PDAC Verified |
| 50K302 | Ottobock X-PRO Ligament Knee Brace | L1845 Custom Fit / L1852 OTS PDAC Verified |
| 50K310 | Knexus Neoprene PullOn | L1833 PDAC Verified |
| 50K311 | Knexus OBtech PullOn | L1833 PDAC Verified |
| 50K312 | Econ Hinged NEO Pull On | L1812 PDAC Verified |
| 50K313 | Econ Hinged Mesh PullOn | L1812 PDAC Verified |
| 50K314 | Econ Hinged NEO | L1812 PDAC Verified |
| 50K315 | Econ Hinged Mesh | L1812 PDAC Verified |
| 50K316 | Knexus Neoprene | L1833 PDAC Verified |
| 50K317 | Knexus OBtech | L1833 PDAC Verified |
| 50K322 | Genu Immobil Adjuster | L1832 Custom Fit / L1833 OTS PDAC Verified |
| 50K324 | Agilium Reactive | L1843 Custom Fit / L1851 OTS |
| 50K4 | Agilium Freestep | A9285 A9285 is not covered by Medicare PDAC Verified |
| 8060=K | Genu Immobil | L1830 PDAC Verified |
| 8165=K | Genu Neurexa Knee orthosis, beige | L1832 Custom Fit / L1833 OTS |
| 8320N | Patella Pro | L1810 Custom Fit / L1812 OTS PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|--------|--------------------------------------|---|
| 8356 | Genu Direxa | L1810 Custom Fit / L1812 OTS PDAC Verified |
| 8360=K | Genu Carezza Patella Stabilizer | A4467 |
| 8362* | Genu Carezza wraparound | A4467 |
| 8364=K | Genu Therma Patella | A4467 |
| 8368=K | Genu Direxa Stable wraparound, black | L1832 Custom Fit / L1833 OTS |
| 50K306 | Agilium Vantage | L1843 Custom Fit / L1851 OTS |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|--|---|------------------------------|
| Spine Braces and Supports (Premium, Universal, Classic, Specialty, Hyperextension, Corsets) | | |
| 28R128 | Hyper X Plus | L0472 Prefabricated |
| | | L0472 Prefabricated |
| 28R140N | Dorso Arexa | PDAC Verified |
| 28R16=K | Hyperextension Orthosis | L0472 Prefabricated |
| | | L0472 Prefabricated |
| 28R18 | Hyperextension Orthosis | PDAC Verified |
| | | L0472 Prefabricated |
| 28R27 | Cybercross TLSO | PDAC Verified |
| | | L0984 |
| 29R366 | CoolMax Body Sock (1BP1-BS) | PDAC Verified |
| 50R10 | Lumbo Sensa LSO (L1-S1), male | A4467 |
| 50R11 | Lumbo Sensa LSO (L1-S1), female | A4467 |
| | | L0456 Custom Fit / L0457 OTS |
| 50R131 | Cybertech Postural Ext. II (PEO-NB) | PDAC Verified |
| | | L0627 Custom Fit / L0642 OTS |
| 50R133N | Cybertech Short Chairback LP | PDAC Verified |
| | | L0633 Custom Fit / L0649 OTS |
| 50R134N | BI MOD STANDARD 10 inch | PDAC Verified |
| | | L0633 Custom Fit / L0649 OTS |
| 50R135N | Bi Mod 8" Low Profile (L0633L-S01) | PDAC Verified |
| | | L0626 Custom Fit / L0641 OTS |
| 50R137N | Cybertech Ergo MAC Plus | PDAC Verified |
| | | L0626 Custom Fit / L0641 OTS |
| 50R138N | Cybertech Ergo MAC Plus | PDAC Verified |
| | | A9270 |
| 50R142N | Cybertech SPINE Sport (OM500) | PDAC Verified |
| | | L0626 OR L0641 |
| 50R144N | Original Cybertech Low Pro 8" (LOW-S03) | PDAC Verified |
| | | L0627 Custom Fit / L0642 OTS |
| 50R145N | Flex Plus 8 Zoll | PDAC Verified |
| | | A9270 |
| 50R147N | Cybertech S.P.I.N.E. Brace | PDAC Verified |
| | | L0641 |
| 50R148N | MAC Standard | PDAC Verified |
| | | L0627 Custom Fit / L0642 OTS |
| 50R150 | Low Profile LSO Lite | PDAC Verified |
| | | L0627 Custom Fit / L0642 OTS |
| 50R151 | Low Profile LSO | PDAC Verified |
| | | L0456 Custom Fit / L0457 OTS |
| 50R152N | TLSO | PDAC Verified |
| | | L0637 Custom Fit/ L0650 OTS |
| 50R153N | Fulcrum LSO | PDAC Verified |
| | | L0631 Custom Fit / L0648 OTS |
| 50R154N | Comprehensive LSO | PDAC Verified |
| | | L0621 |
| 50R159 | SI Belt | PDAC Verified |
| | | L0627 Custom Fit / L0642 OTS |
| 50R210N | Cyberteech Premium Plus STD | PDAC Verified |
| | | L0637 Custom Fit/ L0650 OTS |
| 50R211N | Cybertech Trimod | PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|---------------|---|---|
| 50R215N | Passport LSO | L0631 Custom Fit / L0648 OTS PDAC Verified |
| 50R216N | Cybertech Pathway LS | L0627 Custom Fit / L0642 OTS PDAC Verified |
| 50R217N | Original Cybertech 10"" STD (STAN-S03) | L0626 OR L0641 PDAC Verified |
| 50R218N=1 | Option 1 Universal LO | L0627 Custom Fit / L0642 OTS PDAC Verified |
| 50R218N=2 | Option 2 Universal LSO | L0631 Custom Fit / L0648 OTS PDAC Verified |
| 50R218N=3 | Option 3 Universal LSO | L0637 Custom Fit / L0650 OTS PDAC Verified |
| 50R276N | CYBER LSO LOW PRO 8" NFPU (Cyber Low Profile LSO) | L0626 OR L0641 PDAC Verified |
| 50R277N | Cyber 10" Standard LSO | L0626 OR L0641 PDAC Verified |
| 50R300 | Dyneva | L0635 PDAC Verified For L0635 |
| 50R319N=627 | Cybertech Multi 627 (60-1627-9) | L0627 Custom Fit / L0642 OTS PDAC Verified |
| 50R319N=631 | Cybertech Multi 631 (60-1631-9) | L0631 Custom Fit / L0648 OTS PDAC Verified |
| 50R319N=637 | Cybertech Multi 637 (60-1637-9) | L0637 Custom Fit / L0650 OTS PDAC Verified |
| 50R320N | CyberSpine TLSO X4 | L0464 PDAC Verified Reverified 3/23/17 |
| 50R73N | Extension Orthosis (CETL-NB-4) | L0456 Custom Fit / L0457 OTS PDAC Verified |
| 50R50 /51 /52 | Lumbo Direxa | L0625 For Medicare use GY modifier - see advisory by visiting Lumbo Direxa at shop.ottobock.us PDAC Verified |
| 50R49 | Dorso Carezza Posture | A4467 PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|---|--|---|
| Upper Extremity Braces and Supports (Shoulder, Elbow, Wrist, Hand) | | |
| 28P211 | Thumb Spica | L3807 Custom Fit / L3809 OTS PDAC Verified |
| 28P212 | Cockup Wrist Brace | L3908 PDAC Verified |
| 28P30 | Manu Neurexa Plus | L3916 PDAC Verified |
| 28P31 | Palmer Splint | included in HCPCS code for 28P30 |
| 28P44 | Static Wrist Positioning Orthosis (WHFO) | L3807 Custom Fit / L3809 OTS |
| 4024=K | Manu Rheuma Flex | L3908 PDAC Verified |
| 4025=K | Manu Rheuma Pollex | L3807 Custom Fit / L3809 OTS PDAC Verified |
| 4026=K | Diagonal Comfort | L3923 Custom Fit / L3924 OTS PDAC Verified |
| 4030=K | Manu Direxa Basic | L3908 PDAC Verified |
| 4032=K | Manu Direxa Basic WT | L3908 PDAC Verified |
| 4055=K | Manu ComforT | L3908 PDAC Verified |
| 4058=K | Manu ComforT Stable | L3908 PDAC Verified |
| 4067=K | Wrist Support Child | L3908 PDAC Verified |
| 4085=K | Thumboform long | L3923 Custom Fit / L3924 OTS PDAC Verified |
| 4086=K | Thumboform X Long | L3807 Custom Fit / L3809 OTS PDAC Verified |
| 4088=K | Wristoform | L3908 PDAC Verified |
| 4103=K | Manu 3D short | L3908 |
| 4142=K | Manu 3D | L3908 |
| 4143=K | Manu 3D Basis | L3908 |
| 4146=K | Manu 3D Pollex | L3807 Custom Fit / L3809 OTS |
| 4801N | Epiflex, Epicondylitis Support | A9270 PDAC Verified |
| 5055=K | Acro ComforT | L3670 PDAC Verified |
| 5065N | Omo Neurexa Shoulderorthose | L3670 OTS PDAC Verified |
| 50A10 | Omo Immobil | L3960 Prefabricated PDAC Verified |
| 50A3 | Epi Forsa Plus | A4467 |
| 50A4 | Rhizo Forsa, Thumborthosis | L3923 Custom Fit / L3924 OTS PDAC Verified |
| 50A8 | OMO Immobil Sling | L3670 PDAC Verified |
| 50A9 | OMO Immobil Sling,Abduction | L3670 PDAC Verified |
| 50P11 | Manu Immobil Long,wrist positioning orth | L3807 or L3809 PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.

| Item | Description | Suggested HCPCS Coding: |
|-----------|---------------------------------|-------------------------|
| 50P12 | Manu Forsa Volar, Wristorthosis | L3908 |
| | | L3908 |
| 50P20 /21 | Manu Arexa /Pollex | PDAC Verified |
| | | L3924 |
| 50P22 | Rhizo Arexa | PDAC Verified |
| | | L3908 |
| 50P70 | Manu Carezza | PDAC Verified |
| 7126=K | Shouldersupport | A4467 |
| 9010=U | Wrist Support | A4467 |
| | | L3807 or L3809 |
| 50P10 | Wrist Splint Manu Immobil | PDAC Verified |

The product/device "Supplier" (defined as O&P practitioner, O&P patient care facility or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for products/services delivered. It is also recommended that Supplier contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information for alpha-numeric system changes.