

Lower Limb Bundles

Order Forms and Product Index

ottobock.



Transfemoral Bundle Overview

Selecting the best combination of components for your patient's K2 or K3 transfemoral prosthesis is simple with our Lower Limb Bundles. Whether your patient requires a mechanical knee, Kenevo, or the C-Leg, along with a foot and liner to be used in everyday life, we've got the components you'll need to create an optimal prosthesis.

Requirement

Choose a combination of the below to receive a 25% discount:

- 1 foot
- 2 liners
- 1 suspension or socket option
- C-Leg, Kenevo, or mechanical knee

Want more?

- If you choose an additional adapter or component to go along with your order, you'll also receive the same great 25% discount! The more you choose, the more you'll save.
- Adapters and additional components are not required.

Transtibial Bundle Overview

Choosing a transtibial bundle has never been easier. Whether you need K2 or K3 components, a foot for highly active users, liners that improve hygiene and reduce odors, or a vacuum pump to provide optimal volume management, we've got you covered.

Requirement

Choose a combination of the below to receive a 25% discount:

- 1 foot
- 2 liners
- 1 suspension option or volume management option

Want more?

- If you choose a sleeve or adapter to go along with your order, you'll also receive the same great 25% discount! The more you choose, the more you'll save.
- Sleeve and adapter are not required.

©2022 Otto Bock HealthCare L.P. · 20662 · 10/22 · All specifications and pricing are subject to change without notice.

Transfemoral Bundle Order Form



Lower Limb Bundles

Get 25% off list price when you choose 1 foot, 2 liners, 1 suspension or socket option, and a C-Leg, Kenevo, or mechanical knee. Once requirements are met, add additional components and/or adapters and get the same 25% discount.

Account Information		Ship To Information	
Date	<input type="text"/>	Name	<input type="text"/>
Account Number	<input type="text"/>	Address	<input type="text"/>
Bill to	<input type="text"/>	City/State/Zip	<input type="text"/>
Phone Number	<input type="text"/>	Phone Number	<input type="text"/>
Email	<input type="text"/>	Email	<input type="text"/>
Buyer	<input type="text"/>	<input type="checkbox"/> Order <input type="checkbox"/> Quote Only	
Patient Name	<input type="text"/>		
PO Number	<input type="text"/>		

Input patient data and make the appropriate footshell color and footshell shape selections below:

Patient Weight: _____ lbs Amputation side: Left Right Foot size: _____ cm

Footshell Color: Beige Brown Light* Medium* Dark* *Available for F21, F22, F23, VS4, VS5
 Footshell Shape: Normal Slim (slim available in smaller sizes for 1M10, 1C11, 1C63, 1C30) Sandal*

Enter the desired material numbers in the required text boxes to the right to create your Ottobock Lower Limb Bundle and save!

Included at the back of this document is the Lower Limb Bundles product index, which includes all eligible products along with hyperlinks to the Ottobock shop site for reference.

Please complete this form and return to Ottobock by fax OR click the button to send via email.



Example images here (Varos Liner, Varos Socket, Rotation Adapter, Kenevo, and Terion) represent a potential TF bundle selection.

****Required for bundle discount**
****Liner Material Number Selection**

Ex: 6Y200=MC-2

****Suspension or Socket Material Number Selection**

Ex: 5A60=R-MC

Adapter Material Number Selection

Ex: 4R57

****Knee Material Number Selection**

Ex: 3C60

Adapter Material Number Selection

Ex: 2R49=AL

****Foot Material Number Selection**

Ex: 1C11=R25-3-P/4N

Additional Adapters and Components

Transtibial Bundle Order Form



Lower Limb Bundles

Get 25% off list price when you choose 1 foot, 2 liners, 1 suspension or volume management option. Once requirements are met, add sleeves and/or adapters and get the same 25% discount.

Account Information		Ship To Information	
Date	<input type="text"/>	Name	<input type="text"/>
Account Number	<input type="text"/>	Address	<input type="text"/>
Bill to	<input type="text"/>	City/State/Zip	<input type="text"/>
Phone Number	<input type="text"/>	Phone Number	<input type="text"/>
Email	<input type="text"/>	Email	<input type="text"/>
Buyer	<input type="text"/>	<input type="checkbox"/> Order <input type="checkbox"/> Quote Only	
Patient Name	<input type="text"/>		
PO Number	<input type="text"/>		

Input patient data and make the appropriate footshell color and footshell shape selections below:

Patient Weight: _____ lbs Amputation side: Left Right Foot size: _____ cm

Footshell Color: Beige Brown Light* Medium* Dark* *Available for F21, F22, F23, VS4, VS5

Footshell Shape: Normal Slim (slim available in smaller sizes for 1M10, 1C11, 1C63, 1C30) Sandal*

Enter the desired material numbers in the required text boxes to the right to create your Ottobock Lower Limb Bundle and save!

Included at the back of this document is the Lower Limb Bundles product index, which includes all eligible products along with hyperlinks to the Ottobock shop site for reference.

Please complete this form and return to Ottobock by fax OR click the button to send via email.



Include note: Example images here (Skeo 3D Liner, Shuttle Lock, Adapter, Pylon, and Taleo Side Flex) represent a potential TT bundle selection.

****Required for bundle discount**

****Liner Material Number Selection**

Ex: 6Y78=250X125

****Suspension or Volume Management Material Number Selection**

Ex: 6A20=10

Adapter Material Number Selection

Ex: 4R82

Adapter Material Number Selection

Ex: 2R49=AL

****Foot Material Number Selection**

Ex: 1C58=L27-6-P/O


Additional Adapters and Sleeves

Product Index

Eligible components for Lower Limb Bundles



Knees - Mechanical

K Level	Article #	Description		Suggested HCPCS Coding
K3 & K4	3R80	Modular Knee Joint With Rotary Hydraulic, Pyramid top	✓	L5828 + L5845 + L5850 + L5925
	3R80=ST	Modular Knee Joint With Rotary Hydraulic, Threaded top	✓	
K3	3R60	Polycentric EBS, Pyramid top	✓	L5814 + L5845 + L5848
	3R60=ST	Polycentric EBS, Threaded top	✓	
	3R60=KD	Polycentric EBS for Knee Disartic	✓	
	3R60=HD	Polycentric EBS for Hip Disartic	✓	
	3R60-PRO	Polycentric EBS-PRO, Pyramid top	✓	
	3R60-PRO=ST	Polycentric EBS-PRO, Threaded top	✓	
	3R60-PRO=KD	Polycentric EBS-PRO for Knee Disartic	✓	
K2	3R62	Pheon, Pyramid top		L5611 + L5845 + L5850 + L5925
	3R62=ST	Pheon, Threaded top		
	3R62=KD	Pheon for Knee Disartic		
	3R62=1	Pheon, Pyramid top < 165lb		
	3R62=1-ST	Pheon, Threaded top < 165lb		
	3R62=1-KD	Pheon for Knee Disartic < 165lb		
K1& K2	3R93	Friction Brake Knee with Lock		L5812 + L5845 + L5850 + L5925
	3R90	Comfort-Brake Knee		L5812 + L5845 + L5850
K1	3R31	Prosedo, Pyramid top		L5811 + L5845
	3R31=ST	Prosedo, Threaded top		

Knees - Microprocessor

K Level	Article #	Description		Suggested HCPCS Coding
K3 & K4	3C98-3=8.5-2	C-Leg Pyramid top, midnight shadow	✓	L5828 + L5845 + L5848 + L5856
	3C98-3=9.2-2	C-Leg Pyramid top, desert pearl	✓	
	3C88-3=8.5-2	C-Leg Threaded top, midnight shadow	✓	
	3C88-3=9.2-2	C-Leg Threaded top, desert pearl	✓	
K2	3C60	Kenevo Pyramid top	✓	L5828 + L5845 + L5848 + L5856
	3C60=ST	Kenevo Threaded top	✓	


©2022 Otto Bock HealthCare LP · 20662 · 10/22 · All specifications and pricing are subject to change without notice.

Product Index

Eligible components for Lower Limb Bundles



Foot Options - Mechanical (footshells included)

K Level	Article #	Description		Suggested HCPCS Coding
K3 & K4	F21	Maverick Xtreme AT		L5981
	F22	Maverick Comfort AT		
	F23	Maverick Vertical Shock	✓	L5987 + L5986
	1C30-1	Trias		L5981 + L5986
	1C50	Taleo	✓	L5981
	1C51	Taleo Vertical Shock	✓	L5987 + L5986
	1C52	Taleo Harmony	✓	L5987 + L5986 + L5781
	1C53	Taleo Low Profile		L5981
	1C58	Taleo Side Flex	✓	L5981 + L5986
	1C60	Triton	✓	L5981
	1C61	Triton Vertical Shock	✓	L5987 + L5986
	1C62	Triton Harmony	✓	L5987 + L5986 + L5781
	1C63	Triton Low Profile		L5981
	1C64	Triton Side Flex	✓	
	1C68	Triton Side Flex	✓	L5981 + L5986
	1C40	C-Walk		L5981
	1E56	Axtion		
	1E95	Challenger	✓	
K2 & K3	1D35	Dynamic Motion		L5979
K1 & K2	VS4	Kintrol		L5972 + L5968
	VS5	Restore		
	1C11	Terion		
	1D10	Dynamic Foot		L5972
	1M10	Adjust		L5972 + L5968
	1S101	SACH+		L5971
	1WR95	Aqualine		L5972

Foot Options - Microprocessor (footshells included)

K Level	Article #	Description		Suggested HCPCS Coding
K3 & K4	1B1-2	Meridium	✓	L5973


©2022 Otto Bock HealthCare LP · 20662 · 10/22 · All specifications and pricing are subject to change without notice.

Product Index


Eligible components for Lower Limb Bundles



Suspension / Socket / Volume Management

Type	Article #	Description		Suggested HCPCS Coding
Socket	5A60	Varos Socket		Definitive: L5321 + L5649 + L5650 + L5920 + L5950 + L5671
Vacuum	4R220	DVS		L5781
	4R220=1	DVS, Non Weight Bearing		
	4R152	Harmony E2		L5781
	4R152=1	Harmony E2 with Offset Plate		
	4R180	P4		L5781 + L5984 + L5988
	4R181	Harmony P4 HD		L5782 + L5984 + L5988
	4R182	Harmony P4 Modular		L5781 + L5984 + L5988
	4R183	Harmony P4 HD Modular		L5782 + L5984 + L5988
Shuttle Lock / Lanyard	4R160=1	Delrin KISS Kit		L5671
	4R160=2	4-Hole Endoskeletal KISS Kit		
	6A20=10	Shuttle Lock, Pyramid		
	6A20=20	Shuttle Lock with Adjustment Screw		
	6A20=20N	Shuttle Lock with Plastic Housing		
	6A30=10N	Shuttle Lock For Ottobock Conventional Liner		
	6A40=US	MagnoFlex Lock – US Version		
	6A100	Pro Push Lock with 2 Plunger Pins		
Valves	21Y12	Threaded Valve with Housing		L5647 or L5652 or L6686
	21Y14	Push Valve		
	21Y140	Silicone Socket Valve With Thumb Flap		
	21Y15	Mag Valve		
	21Y21	Click Valve		
	21Y40=40	Flat Rubber Valve with Seat Ring		
	2R119	Vacuum Connector		
	4R136	V4 Valve Kit		
	4R136=EL	V4 EasyLine Valve Kit		
	4R142	Harmony Valve, Straight, 5-Piece		

Liners

Type	Article #	Description		Suggested HCPCS Coding
Transtibial (TT)	6Y510	Uneo Flex – Cushion		L5679
	6Y512	Uneo 3D – Cushion		
	6Y522	Uneo Tapered Uncovered – Cushion		
	6Y523	Uneo Tapered Covered – Cushion		

Product Index


Eligible components for Lower Limb Bundles



Liners (cont.)

Type	Article #	Description		Suggested HCPCS Coding
Transtibial (TT)	6Y90	Caleo Locking		L5673
	6Y92	Caleo Cushion		L5679
	6Y93	Caleo 3D – Cushion or Locking		L5679 or L5673
	6Y95	Caleo 3D (high active) – Cushion or Locking		
	6Y43	Skeo Pure – Locking		L5673
	6Y75	Skeo Skinguard – Locking		
	6Y78	Skeo 3D – Locking		
		6Y94	DVS Liner	
TT & TF	6Y520	Uneo Uniform – Cushion		
Transfemoral (TF)	6Y85	Skeo Skinguard – Locking		L5673
	6Y88	Skeo 3D Skinguard – Locking		
	6Y110	Skeo Sealing		L5679
	6Y200	Varos Liner		L5673

Sleeves

Type	Article #	Description		Suggested HCPCS Coding
Transtibial (TT)	453A2	Derma Protection Knee Comfort		L5685
	453A3	Derma ProFlex		
	453A30	ProFlex Plus Sleeve – Regular		
	453A4	Derma ProFlex – Short		
	453A40	ProFlex Plus Sleeve – Short		
	454A7	Harmony Sleeve		
TT & TF	454A8	Harmony Tapered Sleeve		
Transfemoral (TF)	21B37	Suspension Belt		

Adapters

Type	Article #	Description
Structural Adapters	2R3	Tube Adapter, Long
	2R30	Thigh Tube for 7E7
	2R36	Tube, Aluminum, Diameter 34 mm, for Adapters 4R156
	2R38	Tube Adapter, Long, Titanium
	2R45	Adjustable Tube Adapter
	2R45=S	Tube Adapter, Short, Length Adjustable
	2R49	Tube Adapter, Long, Aluminum

Product Index

Eligible components for Lower Limb Bundles



Adapters (cont.)

Type	Article #	Description
Structural Adapters	2R49 AL	Tube Adapter, Long, Aluminum
	2R50	Tube Adapter, Short, Aluminum
	2R50 AL	Tube Adapter, Short, Aluminum
	2R57	Tube Adapter, Titanium, 34 mm
	2R58	Tube Adapter, Large, Titanium
	2R67	Tube Adapter with torsion unit, Ø 34 mm
	2R76	Tube Adapter, Short, Steel, 34 mm
	2R77	Tube Adapter, Long, Steel, 34 mm
	2WR95	Aqualine Tube Adapter
	4R101	Sliding Adapter Aluminum
	4R103	Sliding Adapter, Titanium
	4R104	Slide Adapter with 4 Screw Connection
	4R118	Adapter Plate
	4R156	Clamp Adapter, Angled 10°, Titanium
	4R170	Spherical Sliding Adapter
	4R21	Tube Clamp Adapter
	4R22	Socket Adapter with Adjustment Screws
	4R23	Socket Adapter with Pyramid
	4R37	Rotatable Socket Adapter
	4R44=N	Adapter Ring
	4R50	Pyramid Adapter with Internal Thread
	4R51	Rotatable Socket Adapter Titanium
	3R31=ST	Prosedo, Threaded top
	4R52=5	Tube Clamp Adapter, Titanium
	4R54	Socket Adapter with Pyramid, Titanium
	4R54=5	Socket Adapter with Pyramid Titan
	4R55	Socket Adapter with Adjustment Screws
	4R56	Tube Adapter, Angled, Titanium
	4R56=2	Clamp Adapter, Angled 30°, Titanium
	4R69 AL	Tube Clamp Adapter, Aluminum
	4R72	Double Adapter with Screws
	4R72 AL	Double Adapter with Screws Aluminum
4R72=32AL	Double Adapter, Aluminum, 32 mm	
4R72=45AL	Double Adapter, Aluminum, 45 mm	
4R72=60AL	Double Adapter, Aluminum, 60 mm	
4R72=75AL	Double Adapter, Aluminum, 75 mm	

Product Index

Eligible components for Lower Limb Bundles



Adapters (cont.)

Type	Article #	Description	
Structural Adapters	4R72=90AL	Double Adapter, Aluminum, 90 mm	
	4R73=A	Eccentric Adapter, Titanium	
	4R73=D	Eccentric Adapter, Titanium	
	4R74=AL	Socket Adapter with Pyramid Adapter, Aluminum	
	4R76	Double Adapter, -32 mm	
	4R77	Socket Adapter, Titanium	
	4R78	Double Adapter, -30 mm	
	4R82	Tube Clamp Adapter, 34 mm, Titanium	
	4R82=P	Tube Clamp Adapter	
	4R84	Double Adapter with Pyramid	
	4R87	Pyramid with Thread	
	4R88	Sliding Adapter, Titanium	
	4R89	Socket Adapter With Rotation Pyramid	
	4R91	Tube Clamp Adapter, Steel, 34 mm	
	4R95	Socket Adapter with Adjustment Screws	
4R98	Slide Clamp, Aluminum		
Socket Adapters	4R111=N	Socket Adapter with Rotation Adjustment	
	4R41	Socket Adapter	
	4R42	Socket Adapter with Pyramid	
	4R42=5	Lamination Anchor with Pyramid, Stainless Steel,with Hole	
	4R43	Lamination Anchor	
	4R63=5.1	Lamination Anchor with Pyramid, Stainless Steel	
	4R74=AL	Socket Adapter with Pyramid, Aluminum	
	5R1	Socket Attachment Block	
	5R2	Lamination Disk up to 150 kg	
	5R2=C	Socket Attachment Carbon	
	6A94=3	Mounting Plate Solid, Black	
Specialty Adapters	4R10	Quickchange	Suggested HCPCS Coding: L5617
	4R39	Torsion Adapter with Tube	Suggested HCPCS Coding: L5984
	4R40	Torsion Adapter	
	4R57	Rotation Adapter	Suggested HCPCS Coding: K1022
	4R57=ST	Rotation Adapter, Screw Top	
	4R57=WR	Rotation Adapter, Water Resistant	
	4R57=WR-ST	Rotation Adapter, Water Resistant, Screw Top	
	4R85	Torsion Adapter, Stainless Steel – 30 mm	Suggested HCPCS Coding: L5984
	4R86	Torsion Adapter, Titanium – 34 mm	