

1. Product and company identification

Product identifier

Trade name: Thermo Paste

Relevant identified uses of the substance or mixture and uses advised against

General use: Heat transfer agent without Silicone

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care
 Street/POB-No.: 3820 W. Great Lakes Drive
 Postal Code, city: Salt Lake City, UT 84120
 USA

WWW: www.ottobockus.com

Telephone: +1 (801) 956-2400

Telefax: +1 (801) 956-2401

Dept. responsible for information:

Quality Department,
 Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),
 Email: USRegulatory@ottobock.com

Additional information:

Corporate headquarters:
 Ottobock SE & Co. KGaA
 Max-Näder-Straße 15
 Duderstadt
 Germany

Emergency phone number

CHEMTREC, Telephone: +1 (800) 424-9300

Transport:

CONSULTANK Lutz Harder GmbH (Contract QUALI003)

Telephone: +49 (0)178-4337434 (from USA: 01149 178 4337434)

2. Hazards identification

Emergency overview

Appearance: Physical state at 68 °F and 101.3 kPa: solid

Form: pasty

Color: white

Odor: No data available

Classification: Aquatic toxicity - acute - Category 1; Aquatic toxicity - chronic - Category 1;

Hazard symbols:



Signal word:

Warning

Hazard statements: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

- Avoid release to the environment.
- Collect spillage.
- Dispose of contents/container to hazardous or special waste collection point.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Special danger of slipping by leaking/spilling product.
see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterization: Mixture on the basis of Zinc oxide and additives

Relevant ingredients:

CAS No.	Designation	Content	Classification
CAS 1314-13-2	Zinc oxide	60 - 100 %	Aquatic toxicity - acute - Category 1. Aquatic toxicity - chronic - Category 1.
CAS 122-39-4	Diphenylamine	0 - 1 %	Acute Toxicity - oral - Category 3. Acute Toxicity - dermal - Category 3. Acute Toxicity - inhalative - Category 3. Specific Target Organ Toxicity (Repeated Exposure) - Category 2. Aquatic toxicity - acute - Category 1. Aquatic toxicity - chronic - Category 1.

4. First aid measures

- In case of inhalation: Move victim to fresh air. Make sure he/she is warm and comfortable. Seek medical attention.
- Following skin contact: Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with soap and plenty of water.
In case of skin irritation, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.
- After swallowing: Rinse mouth with water. Do not induce vomiting.
Never give an unconscious person anything through the mouth.
Seek medical attention.

Most important symptoms/effects, acute and delayed

In case of ingestion: stomachache, vomiting

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

446 °F (c.c.)

Auto-ignition temperature: > 797 °F

Suitable extinguishing media:

foam, dry chemical powder, carbon dioxide.

Specific hazards arising from the chemical

Hazardous vapors may form during fires. In case of fire may be liberated: Carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Do not allow water used to extinguish fire to enter drains, ground or waterways.

6. Accidental release measures

Personal precautions: Provide adequate ventilation. Wear appropriate protective equipment.

Avoid contact with skin and eyes.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

Methods for clean-up:

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance. Final cleaning. Recommended cleansing agent: Water

Additional information:

Special danger of slipping by leaking/spilling product.

7. Handling and storage

Handling

Advices on safe handling: When not in use, keep containers tightly closed.

Provide adequate ventilation, and local exhaust as needed.

Avoid contact with skin, eyes, and clothing. Wear appropriate protective equipment.

Storage

Requirements for storerooms and containers:

Keep only in the original container in a cool, well-ventilated place away from food.

Protect from frost.

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
1314-13-2	Zinc oxide	NIOSH: Ceiling	15 mg/m ³
		USA: ACGIH: STEL	10 mg/m ³
		USA: ACGIH: TWA	2 mg/m ³
		USA: NIOSH: STEL	10 mg/m ³
		USA: NIOSH: TWA	5 mg/m ³
		USA: OSHA: TWA	15 mg/m ³
		USA: OSHA: TWA	5 mg/m ³
122-39-4	Diphenylamine	USA: ACGIH: TWA	10 mg/m ³
		USA: NIOSH: TWA	10 mg/m ³

Additional information: Zinc oxide is embedded in the product and not available as respirable dusts.

Engineering controls

Provide adequate ventilation, and local exhaust as needed.

See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection: Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection: Wear suitable protective clothing.

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Glove material recommended: Butyl caoutchouc (butyl rubber).

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Respiratory protection: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product.

General hygiene considerations:

Avoid contact with skin and eyes. Wash hands before breaks and after work.

Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Physical state at 68 °F and 101.3 kPa: solid
 Form: pasty
 Color: white

Odor: No data available

Odor threshold: No data available

pH value: not applicable

Thermo Paste

Material number 519L7

Page: 5 of 9

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	> 482 °F
Flash point/flash point range:	446 °F (c.c.)
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	No data available
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	> 797 °F
Thermal decomposition:	No data available
Additional information:	Relative density 68 °F: 2,04

10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reactions with proper and specified storage and handling
Conditions to avoid:	Keep away from heat sources, sparks and open flames. Protect from frost.
Incompatible materials:	No data available
Hazardous decomposition products:	Carbon monoxide and carbon dioxide
Thermal decomposition:	No data available

11. Toxicological information

Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.
ATEmix calculated: > 2000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met.
ATEmix calculated: > 2000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.
ATEmix calculated (Dusts): > 5 mg/L

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Symptoms

In case of ingestion: stomachache, vomiting

General remarks

Carcinogenicity:
NTP: Not listed, IARC: Not listed, OSHA REGULATED: Not listed

12. Ecological information

Ecotoxicity

Aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Mobility in soil

Substance is heavier than water and sinks.

Persistence and degradability

Further details: No data available

Additional ecological information

Volatile organic compounds (VOC):

0 % by weight

General information: Do not allow to penetrate into soil, waterbodies or drains.

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.


Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.

14. Transport information

USA: Department of Transportation (DOT)

Identification number: UN3077
 Proper shipping name: UN 3077, UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.
 Hazard class or Division: 9
 Packing Group: III
 Labels: 9
 Special provisions: 8, 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
 Packaging – Exceptions: 155
 Packaging – Non-bulk: 213
 Packaging – Bulk: 240
 Quantity limitations – Passenger aircraft / rail: No limit
 Quantity limitations – Cargo only: No limit
 Vessel stowage – Location: A



Sea transport (IMDG)

UN number: UN 3077
 Proper shipping name: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
 Class or division, Subsidiary risk: Class 9, Subrisk -
 Packing Group: III
 EmS: F-A, S-F
 Special provisions: 274, 335, 966, 967, 969
 Limited quantities: 5 kg
 Excepted quantities: E1
 Contaminated packaging - Instructions: P002, LP02
 Contaminated packaging - Provisions: PP12
 IBC - Instructions: IBC08
 IBC - Provisions: B3
 Tank instructions - IMO: -
 Tank instructions - UN: T1, BK2, BK2, BK3
 Tank instructions - Provisions: TP33
 Stowage and handling: Category A. SW23
 Properties and observations: -
 Marine pollutant: yes
 Segregation group: none

Thermo Paste

Material number 519L7

Page: 8 of 9

Air transport (IATA)

UN/ID number: UN 3077
 Proper shipping name: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
 Class or division, Subsidiary risk: Class 9
 Packing Group: III
 Hazard label: Miscellaneous
 Excepted Quantity Code: E1
 Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y956 - Max. Net Qty/Pkg. 30 kg G
 Passenger and Cargo Aircraft: Pack.Instr. 956 - Max. Net Qty/Pkg. 400 kg
 Cargo Aircraft only: Pack.Instr. 956 - Max. Net Qty/Pkg. 400 kg
 Special provisions: A97 A158 A179 A197
 Emergency Response Guide-Code (ERG): 9L

Further information

Protect from frost.

15. Regulatory information

National regulations - U.S. Federal Regulations

Zinc oxide: TSCA Inventory: listed
 TSCA HPVC: not listed
 NIOSH Recommendations:
 Occupational Health Guideline: 0675*

Diphenylamine: TSCA Inventory: listed; EPA flags T
 TSCA HPVC: not listed
 Clean Air Act:
 SOCM Chemical: yes
 Other Environmental Laws:
 RCRA Groundwater Monitoring: Methods 8270 / PQL 10
 SARA Title III Section 313, Toxic Release: Conc. 1.0% / Threshold Standard
 NIOSH Recommendations:
 Occupational Health Guideline: 0240

National regulations - Great Britain

Hazchem-Code: 2Z

16. Other information

Text for labeling: Contains 60 - 100 % Zinc oxide, 0 - 1 % Diphenylamine. Safety data sheet available on request.

Hazard rating systems: NFPA Hazard Rating:
 Health: 1 (Slight)
 Fire: 1 (Slight)
 Reactivity: 0 (Minimal)



HMIS Version III Rating:
 Health: 1 (Slight)
 Flammability: 1 (Slight)
 Physical Hazard: 0 (Minimal)
 Personal Protection: X = Consult your supervisor

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
X	



SAFETY DATA SHEET

in accordance with 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Thermo Paste

Material number 519L7

Revision date: 3/22/2018

Version: 3

Language: en-US

Date of print: 5/24/2018

Page: 9 of 9

Reason of change: Changes in section 1.3: Corporate headquarters

Date of first version: 8/17/2016

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.