

633F11 - Silicone Grease 400

Material number 633F11

Page: 1 of 6

1. Product and company identification

Product identifier

Trade name: 633F11 - Silicone Grease 400

Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricating grease for orthopedic procedures.

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care

Street/POB-No.: 3820 W. Great Lakes Drive

Postal Code, city: Salt Lake City, UT 84120
USAWWW: www.ottobockus.com

Telephone: +1 (801) 956-2400

Telefax: +1 (801) 956-2401

Dept. responsible for information:

Quality Department,

Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time),

Email: USRegulatory@ottobock.com

Additional information:

Corporate headquarters:

Ottobock SE & Co. KGaA

Max-Näder-Straße 15

Duderstadt

Germany

Emergency phone number**CHEMTREC, Telephone: +1 (800) 424-9300**

2. Hazards identification

Emergency overview

Appearance: Physical state at 68 °F and 101.3 kPa: solid

Form: pasty (fat)

Color: light brown

Odor: characteristic

Classification: This material is classified as not hazardous.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classifiedMay cause skin and eye irritation. Special danger of slipping by leaking/spilling product.
see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterization: Lubricating grease on the basis of silicon oil

633F11 - Silicone Grease 400

Material number 633F11

Page: 2 of 6

4. First aid measures

- General information: Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.
- In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.
- Following skin contact: Remove residues with soap and water.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.
- After swallowing: Rinse mouth thoroughly with water. Seek medical treatment in case of troubles.

Most important symptoms/effects, acute and delayed

May cause skin and eye irritation.

Information to physician

Treat symptomatically.

5. Fire fighting measures

- Flash point/flash point range: not applicable
- Auto-ignition temperature: No data available
- Suitable extinguishing media: Water spray jet, dry chemical powder, carbon dioxide, alcohol resistant foam
- Extinguishing media which must not be used for safety reasons: Full water jet

Specific hazards arising from the chemical

In case of fire may be liberated: Silicon dioxide, carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Move undamaged containers from immediate hazard area if it can be done safely. Do not allow fire water to penetrate into surface or ground water.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

6. Accidental release measures

- Personal precautions: Provide adequate ventilation. Never put product containing rags into clothing pockets. Avoid breathing mist/vapors/spray. Wear appropriate protective equipment. Keep unprotected people away.
- Environmental precautions: Do not allow to penetrate into soil, waterbodies or drains.
- Methods for clean-up: Take up mechanically, placing in appropriate containers for disposal. Clean the floor and all object contaminated by this material.
- Additional information: Special danger of slipping by leaking/spilling product.

7. Handling and storage

Handling

Advices on safe handling: Avoid prolonged and intensive skin contact.
 Never put product containing rags into clothing pockets. Avoid breathing mist/vapors/spray. Wear appropriate protective equipment.
 Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Storage

Requirements for storerooms and containers: Keep in a cool place.
 Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

8. Exposure controls / personal protection

Engineering controls

Handle in accordance with good industrial hygiene and safety practice.
 See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection: When transferring, protection goggles are recommended. Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2010.
 Skin protection: Protective work clothing
 protective gloves according to OSHA Standard - 29 CFR: 1910.138.
 Glove material: Nitrile rubber
 Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

General hygiene considerations:
 Avoid prolonged and intensive skin contact. Change contaminated clothing. Wash hands before breaks and after work. Never put product containing rags into clothing pockets.
 Avoid breathing mist/vapors/spray. Do not eat, drink or smoke when using this product.
 Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Physical state at 68 °F and 101.3 kPa: solid
 Form: pasty (fat)
 Color: light brown

Odor: characteristic
 Odor threshold: No data available

pH value: not applicable

Melting point/freezing point: No data available

Initial boiling point and boiling range: not applicable

Flash point/flash point range: not applicable

Evaporation rate: No data available

Flammability: No data available

633F11 - Silicone Grease 400

Material number 633F11

Page: 4 of 6

Explosion limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Density:	at 59 °F: 1 g/cm ³ (DIN 51 757)
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Additional information:	No data available

10. Stability and reactivity

Reactivity:	refer to section 10.3
Chemical stability:	Product is stable under normal storage conditions.
Possibility of hazardous reactions	No hazardous reaction when handled and stored according to provisions.
Conditions to avoid:	Warmness
Incompatible materials:	Strong oxidizing agents, strong acids, strong bases
Hazardous decomposition products:	Hazardous decomposition products such as Silicon dioxide, carbon monoxide and carbon dioxide may develop with exposure to high temperature.
Thermal decomposition:	No data available

11. Toxicological information

Toxicological tests

Toxicological effects:	<p>The statements are derived from the properties of the single components. No toxicological data is available for the product as such.</p> <p>Acute toxicity (oral): Based on available data, the classification criteria are not met.</p> <p>Acute toxicity (dermal): Based on available data, the classification criteria are not met.</p> <p>Acute toxicity (inhalative): Based on available data, the classification criteria are not met.</p> <p>Skin corrosion/irritation: Lack of data.</p> <p>Serious eye damage/irritation: Lack of data.</p> <p>Sensitisation to the respiratory tract: Lack of data.</p> <p>Skin sensitisation: Lack of data.</p> <p>Germ cell mutagenicity/Genotoxicity: Lack of data.</p> <p>Carcinogenicity: Lack of data.</p> <p>Reproductive toxicity: Lack of data.</p> <p>Effects on or via lactation: Lack of data.</p> <p>Specific target organ toxicity (single exposure): Lack of data.</p> <p>Specific target organ toxicity (repeated exposure): Lack of data.</p> <p>Aspiration hazard: Lack of data.</p>
------------------------	---

633F11 - Silicone Grease 400

Material number 633F11

Page: 5 of 6

Symptoms

After eye contact:
Due to the formation of an oil film on the eye ball sight may be reversibly clouded.

12. Ecological information**Ecotoxicity**

Further details: No data available

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to penetrate into soil, waterbodies or drains.

13. Disposal considerations**Product**Recommendation: Possible alternatives: Waste key number:
120112 spent waxes and fats Incinerate according to applicable local, state and federal regulations.**Contaminated packaging**Recommendation: Waste key number:
150102 Plastic container
150104 Packages of metal
Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.**14. Transport information****USA: Department of Transportation (DOT)**

Proper shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - Great Britain

Hazchem-Code: -

16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 0 (Minimal)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 0 (Minimal)

Flammability: 1 (Slight)

Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0
	X

Reason of change: Changes in section 1.3: Corporate headquarters

Date of first version: 9/15/2010

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.