

17CF1 Carbon Ankle seven.

Coding Options.¹

January 2023.



Split Floor Reaction AFO,
fabricated with a 17CF1
Carbon Ankle seven (spring)



17CF1 *Carbon Ankle seven*
(spring) before fabrication

OVERVIEW

AFOs fabricated with the 17CF1 *Carbon Ankle seven* store energy at heel strike and returns energy at toe-off. The jointless design helps patients enjoy a more natural gait cycle without the plantar and dorsal stops associated with conventional ankle joints.

The *Carbon Ankle seven* can be custom fabricated by two methods. Ottobock can custom fabricate the entire *Carbon Ankle seven* AFO or practitioners can order the 17CF1 *Carbon Ankle seven* (spring) and custom fabricate the device at their workshop.

The *Carbon Ankle seven* AFO when fabricated by Ottobock may come with a removable custom anterior shell or a split-front floor reaction design. The definitive orthosis can be made from Polypropylene, Copoly, or Laminated.

The 17CF1 includes the following components:

- 1-Carbon Fiber Spring
- 4 Welding Nuts 502E3=M4x6 /M5x7.5
- 4 Rosette Washers 507U9=M4 /M5
- 4 Countersunk Head Screws 501S86=M4x12 /M5x14

NOTE: Other materials used in fabrication are ordered and/or invoiced separately.

CODING OPTIONS FOR THE CARBON ANKLE SEVEN WHEN CUSTOM FABRICATED

BASE CODE OPTIONS (Select one)

Split-front Floor Reaction AFO

L1945	AFO PLASTIC, RIGID ANTERIOR TIBIAL SECTION, (FLOOR REACTION), CUSTOM FABRICATED
-------	---

AFO with Removable Custom Anterior Tibial Shell

L1940+	AFO PLASTIC OR OTHER MATERIAL
L2340	PRE-TIBIAL SHELL MOLDED TO PATIENT MODEL

ADDITION CODES

L2999	OTTOBOCK 17CF1 CARBON ANKLE SEVEN SPRING ENERGY RETURN ADDED TO AFO
-------	---

L2820	SOFT INTERFACE, BELOW KNEE SECTION
-------	------------------------------------

If applicable:

L2275	VARUS/VALGUS CORRECTION, PLASTIC MODIFICATION, PADDED/LINED
-------	---

If laminated

L2999	OTTOBOCK 636411 DYNAMIC TEST ORTHOSIS (DTO) FOR CARBON ANKLE SEVEN AFO (see DTO coding and billing instructions)
-------	--

L2755	HIGH STRENGTH, LIGHTWEIGHT MATERIAL, ALL HYBRID LAMINATION/PREPREG COMPOSITE, PER SEGMENT, FOR CUSTOM FABRICATED ORTHOTIC ONLY
-------	--

* Check with your Payer for variations on these recommendations.

Coverage

Ask for a copy of the Medical Coverage Policy that your patient's insurance plan uses for Orthotics and carefully review it. They may have special coverage requirements for custom AFOs.

Other Helpful Materials available from Ottobock

- *Carbon Ankle seven* Billing Tips
- AFO-KAFO Documentation Packet
- Various MSRP letters by request

If you have questions about the *Carbon Ankle Seven* or any of these materials, please call 800.328.4058 and ask for the reimbursement team, or you may email your questions to reimbursement911@ottobock.com.

¹The product/device “Supplier” (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier’s responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier’s contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides do not replace the Supplier’s judgment. These recommendations may be subject to revision based on additional information or alphanumeric system changes.

Ottobock Reimbursement North America
P 800 328 4058 F 800 230 3962
<https://shop.ottobock.us>
reimbursement911@ottobock.com