

# <sup>1</sup>Coding Options for Ottobock Microprocessor Knees.

February 2024

## BASE CODE OPTIONS

|                      |       |  |
|----------------------|-------|--|
| KNEE DISARTICULATION | L5312 | Knee disarticulation, molded socket, single axis knee, pylon, SACH foot, endoskeletal system.                  |
| ABOVE KNEE           | L5321 | Above knee, molded socket, open end, SACH foot, endoskeletal system, single axis knee.                         |
| HIP DISARTICULATION  | L5331 | Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot |
| HEMIPELVECTOMY       | L5341 | Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot      |

## SOCKET REPLACEMENT CODES

|                      |       |   |
|----------------------|-------|---|
| KNEE DISARTICULATION | L5701 | Replacement socket, above knee/knee disarticulation, including attachment plate, molded to patient model. |
| ABOVE KNEE           | L5701 | Replacement socket, above knee/knee disarticulation, including attachment plate, molded to patient model. |
| HIP DISARTICULATION  | L5702 | Replacement socket, hip disarticulation, including hip joint, molded to patient model.                    |

Interested in Ottobock Fabrication Services? Click [here](#)

## SOCKET ADDITION CODES - KNEE DISARTICULATION AND ABOVE KNEE

|                     |       |  |
|---------------------|-------|--|
| Check Socket - KD   | L5622 | Test [check] socket, knee disarticulation                          |
| Check Socket - AK   | L5624 | Test [check] socket, above knee                                    |
| Acrylic Socket      | L5631 | Above knee or Knee disarticulation, acrylic socket                 |
| Ischial Containment | L5649 | Ischial containment, narrow M-L socket                             |
| Total Contact       | L5650 | Total Contact, above knee or knee disarticulation socket           |
| Flex Inner Socket   | L5651 | Above knee, flexible inner socket, external frame                  |
| Suction Suspension  | L5652 | Suction suspension, above knee/knee disarticulation                |
| Alignable System    | L5920 | Above knee or hip disarticulation, alignable system                |
| Ultralight Material | L5950 | Above knee, Ultralight material (titanium, carbon fiber, or equal) |

## SOCKET ADDITION CODES - HIP DISARTICULATION AND HEMIPELVECTOMY

|                     |       |   |
|---------------------|-------|---|
| Check Socket - Hip  | L5626 | Test [check] socket, hip disarticulation                                    |
| Check Socket-Hemi   | L5628 | Test [check] socket, hemipelvectomy   |
| Acrylic Socket      | L5631 | Above knee, acrylic socket (check with payer)                               |
| Flex Inner Socket   | L5643 | Hip disarticulation, flexible inner socket, external frame                  |
| Total Contact       | L5650 | Total Contact, above knee or knee disarticulation socket                    |
| Alignable System    | L5920 | Above knee or hip disarticulation, alignable system                         |
| Ultralight Material | L5960 | Hip disarticulation, ultralight material (titanium, carbon fiber, or equal) |

## MICROPROCESSOR KNEE OPTIONS

### C-LEG PYRAMID: 3C98-\* THREADED 3C88-\* [see C-Leg Reimbursement documents](#)



|                     |                    |  |
|---------------------|--------------------|--|
| MP Control          | <sup>2</sup> L5856 | Microprocessor control feature, swing and stance phase, incl. sensors    |
| Swing & Stance Ctrl | <sup>2</sup> L5828 | Fluid swing and stance phase control                                     |
| Stance Flexion      | L5845              | Stance flexion feature, adjustable                                       |
| Stance Extension    | <sup>2</sup> L5848 | Fluid stance extension, dampening feature, with or without adjustability |

### KENEVO PYRAMID: 3C60 THREADED 3C60=ST [see Kenevo Reimbursement documents](#)



|                     |                    |  |
|---------------------|--------------------|--|
| Swing & Stance Ctrl | <sup>2</sup> L5828 | Fluid swing and stance phase control                                     |
| Stance Flexion      | L5845              | Stance flexion feature, adjustable                                       |
| Stance Extension    | <sup>2</sup> L5848 | Fluid stance extension, dampening feature, with or without adjustability |
| MP Control          | <sup>2</sup> L5856 | Microprocessor control feature, swing and stance phase, includes sensors |

### GENIUM PYRAMID: 3B1-\*, THREADED: 3B1-\*=ST [see Genium reimbursement documents](#)

|   |       |   |
|---|-------|---|
| <p><i>We do not recommend billing Medicare for the Genium until specific coding is secured.</i></p> | L5999 | Addition to lower extremity endoskeletal system, Ottobock 3B1-3 Genium adaptive microprocessor-controlled swing and stance phase knee, with stance flexion; stance extension damping; simulated-physiologic rule sets, predicted by multi-modal proprioceptive input; loading flexed knee to traverse obstacles and stairs; dynamic stability control for all transitional gait (i.e. safe multidirectional movement in confined spaces, stance release on ramps, transition to running, weight compensation for stance release); inertial motion control unit feature for intuitive standing and backwards walking, IP 67 weatherproof, 5 additional programmable modes. |
|---|-------|---|

### X3<sup>2</sup> PYRAMID: 3B5-\*, THREADED: 3B5-\*=ST [See X3 Reimbursement documents](#)




|   |       |   |
|---|-------|---|
| <p><i>We do not recommend billing Medicare for the X3 until specific coding is secured.</i></p> | L5999 | Addition to lower extremity endoskeletal system, Ottobock 3B5-3 Genium X3 adaptive microprocessor-controlled swing and stance phase knee, with stance flexion; stance extension damping; simulated-physiologic rule sets, predicted by multi-modal proprioceptive input; loading flexed knee to traverse obstacles and stairs; dynamic stability control for all transitional gait (i.e. safe multidirectional movement in confined spaces, stance release on ramps, transition to running, weight compensation for stance release); inertial motion control unit feature for intuitive standing and backwards walking, IP 68 submersible, IP 66 waterjets, Running mode, plus 5 additional programmable modes. |
|---|-------|---|

## HIP OPTIONS

|   |                              |   |
|---|------------------------------|---|
| 7E10 HeliX 3D<br>(C-Leg/Genium/X3)  | Base +<br><sup>2</sup> L5961 | Polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension.<br><a href="#">See the Helix Reimbursement docs</a>                    |
| 7E9 Single Axis, Hydraul.<br>(Kenevo/C-Leg)   | Base+<br>L5999               | Monocentric, Hydraulic Swing and Stance Phase Control, Independently and Individually Adjustable Flexion and Extension Resistance.<br><a href="#">See the 7E9 Reimbursement documents</a> |
| <i>We do not recommend billing Medicare for the 7E9 until specific coding is secured.</i> |                              |   |
| 7E7 Single Axis, Int Ext<br>(Kenevo/C-Leg)  | Base+<br>L5855               | Mechanical Hip Extension Assist   |

## FOOT OPTIONS

|   |   |   |   |
|---|---|---|---|
| 1A1-2 Empower<br>(Genium, X3)<br>Note: private pay only | <sup>2</sup> L5973<br><sup>2</sup> L5969          | Ankle-foot system, microprocessor control feature<br>Power Assist ( <u>Contact reimbursement if payer does not have L5969</u> )<br><u>See Empower Reimbursement documents</u>             |   |
| 1A30 Greissinger Plus<br>(Kenevo/C-Leg/Genium)          | L5972<br><sup>2</sup> L5986                       | Flexible keel foot<br>Multiaxial rotation unit  |   |
| 1B1 Meridium Foot<br>(C-Leg/Genium/X3)                  | <sup>2</sup> L5973                                | Ankle-foot system, microprocessor control feature<br><u>See Meridium Reimbursement documents</u>  | PDAC Verified    |
| 1C11 Terion K2<br>(Kenevo)                              | L5972<br><sup>2</sup> L5986                       | Flexible keel foot<br>Multiaxial rotation unit  |   |
| 1C30 Trias<br>(Kenevo/C-Leg/Genium/X3)                  | <sup>2</sup> L5981<br><sup>2</sup> L5986          | Flex-walk system<br>Multiaxial rotation unit  |   |
| 1C40 C-Walk<br>(C-Leg/Genium/X3)                        | <sup>2</sup> L5981                                | Flex-walk system  |   |
| 1C50 Taleo<br>(C-Leg/Genium/X3)                         | <sup>2</sup> L5981                                | Flex-walk system  | PDAC Verified    |
| 1C51 Taleo Vertical Shock<br>(C-Leg/Genium/X3)          | <sup>2</sup> L5987<br><sup>2</sup> L5986          | Shank foot system with vertical loading pylon<br>Multiaxial rotation unit   | PDAC Verified    |
| 1C52 Taleo Harmony<br>(C-Leg/Genium/X3)                 | <sup>2</sup> L5987<br><sup>2</sup> L5986<br>L5781 | Shank foot system with vertical loading pylon<br>Multiaxial rotation unit<br>Vacuum pump, residual limb volume mgmt. and moisture evacuation<br><u>See Vacuum reimbursement documents</u> | PDAC Verified    |
| 1C53 Taleo LP<br>(C-Leg/Genium/X3)                      | <sup>2</sup> L5981                                | Flex-walk system  |   |
| 1C56 Taleo Adjust<br>(C-Leg/Genium/X3)                  | <sup>2</sup> L5981<br>L5990                       | Flex-walk system<br>User adjustable heel height (coding/coverage restrictions may apply)  | PDAC Verified  |
| 1C58 Taleo Side Flex                                    | <sup>2</sup> L5981<br><sup>2</sup> L5986          | Flex-walk system<br>Multiaxial rotation unit  | PDAC Verified  |
| 1C60 Triton<br>(C-Leg/Genium/X3)                        | <sup>2</sup> L5981                                | Flex-walk system  | PDAC Verified  |
| 1C61 Triton Vertical Shock<br>(C-Leg/Genium/X3)         | <sup>2</sup> L5987<br><sup>2</sup> L5986          | Shank foot system with vertical loading pylon<br>Multiaxial Rotation unit   | PDAC Verified  |
| 1C62 Triton Harmony<br>(C-Leg/Genium/X3)                | <sup>2</sup> L5987<br><sup>2</sup> L5986<br>L5781 | Shank foot system with vertical loading pylon<br>Multiaxial rotation unit<br>Vacuum pump, residual limb volume mgmt. and moisture evacuation<br><u>See Vacuum Reimbursement documents</u> | PDAC Verified  |
| *1C63 Triton LP (low profile)<br>(C-Leg/Genium/X3)      | <sup>2</sup> L5981                                | Flex-walk system  |   |
| 1C64 Triton HD (heavy duty)<br>(C-Leg/Genium/X3)        | <sup>2</sup> L5981                                | Flex-walk system  | PDAC Verified   |
| 1C68 Triton side flex<br>(C-Leg/Genium/X3)              | <sup>2</sup> L5981<br><sup>2</sup> L5986          | Flex-walk system<br>Multiaxial rotation unit  | PDAC Verified  |

|  |  |   |   |
|--|--|---|---|
| 1D10/11 Dynamic Foot<br>(Kenevo/C-Leg)           | <sup>2</sup> L5972                       | Flexible keel foot  |   |
| 1D35 Dynamic Motion<br>(Kenevo/C-Leg/Genium/X3)  | <sup>2</sup> L5979                       | Multiaxial ankle, dynamic response foot                                   |   |
| 1E56 Axtion<br>(C-Leg/Genium/X3)                 | <sup>2</sup> L5981                       | Flex-walk system  |   |
| 1E58 Axtion DP<br>(C-Leg/Genium/X3)              | <sup>2</sup> L5980<br><sup>2</sup> L5986 | Flex-foot system (Effective 02/19/21)<br>Multiaxial rotation unit         |    |
| 1E57 Lo Rider<br>(C-Leg/Genium/X3)               | <sup>2</sup> L5981                       | Flex-walk system  |   |
| 1E95 Challenger*<br>(Genium/X3)                  | <sup>2</sup> L5981                       | Flex-walk system  |     |
| 1H38 / 1H40 Single Axis Foot<br>(Kenevo)         | L5974                                    | Single axis ankle/foot  |   |
| 1M10 Adjust<br>(Kenevo/C-Leg/Genium)             | <sup>2</sup> L5972<br><sup>2</sup> L5986 | Flexible keel foot<br>Multiaxial rotation unit                            |   |
| 1S66 / 1S101 Sach Foot<br>(Kenevo)               | Incl.<br>Base                            | Sach foot   |   |
| F21=0_B Maverick Xtreme AT<br>(Genium/X3)        | <sup>2</sup> L5981                       | Flex-walk system  |   |
| F22=0_B Maverick Comfort AT<br>(C-Leg/Genium/X3) | <sup>2</sup> L5981<br><sup>2</sup> L5986 | Flex-walk system<br>Multiaxial rotation unit                              |   |
| F23=0_B Maverick VS<br>(C-Leg/Genium/X3)         | <sup>2</sup> L5987<br><sup>2</sup> L5986 | Shank foot system with vertical loading pylon<br>Multiaxial Rotation unit |  |
| LP2-W2=0_B Freestyle Swim<br>(X3)                | <sup>2</sup> L5981                       | Flex-walk system  |   |
| VS5=0_B Restore<br>(Kenevo)                      | <sup>2</sup> L5972<br><sup>2</sup> L5986 | Flexible keel foot<br>Multiaxial rotation unit                            |   |
| VS4=0_B Kintrol<br>(Kenevo)                      | <sup>2</sup> L5972<br>L5968              | Flexible keel foot<br>Multiaxial ankle                                    |   |

## **LINERS, SHUTTLE LOCKS, SOCKS** (not all inclusive)

### **PREFABRICATED LINERS WITH DISTAL CONNECTION**

|  |       |  |
|--|-------|--|
| 6Y80 Skeo<br>6Y85 Skeo Skinguard TF<br>6Y88 Skeo 3D Skinguard TF | L5673 | Custom/Prefabricated socket insert, silicone gel, elastomeric or equal, for use with lock. |
|--|-------|--|

### **PREFABRICATED LINERS WITHOUT DISTAL CONNECTION**

|   |       |  |
|---|-------|--|
| 6Y81 ProSeal (uncovered)<br>6Y110 Skeo Sealing Liner<br>6Y111 Skeo 3D Sealing Liner<br>6Y520 Uneo (uniform)<br>6Y522 Uneo (tapered, uncovered)<br>6Y523 Uneo (tapered, covered) | L5679 | Custom/Prefabricated socket insert, silicone gel, elastomeric or equal, not for use with lock. |
|---|-------|--|

## CUSTOM LINERS

|  |       |  |
|--|-------|--|
| <b>Uneo Unique Urethane Liners</b><br>6Y416 ShapePlus (initial)<br>6Y417 ShapePlus (replacement)<br>6Y430 AK Standard (initial)<br>6Y432 AK Standard (replacement) | L5681 | <b>For Initial Liner use:</b> Custom socket insert, for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock.<br>OR<br><b>For Replacement Liner (same mold) use:</b> Custom socket insert, not for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock. |
|  | L5683 |  |
| <b>Skeo Unique Silicone Liners</b><br>6Y716 ShapePlus (initial)<br>6Y717 ShapePlus (replacement)<br>6Y730 AK Standard (initial)<br>6Y732 AK Standard (replacement) | L5681 | <b>For Initial Liner use:</b> Custom socket insert, for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock.<br>OR<br><b>For Replacement Liner (same mold) use:</b> Custom socket insert, not for congenital/atypical traumatic amputee, silicone gel, elastomeric or equal, for use with/without lock. |
|  | L5683 |  |

## SHUTTLE LOCKS

|  |       |  |
|--|-------|--|
| 6A20=10, =20 Shuttle Lock<br>6A30=10, =20 Shuttle Lock<br>6A40 MagnoFlex Shuttle Lock<br>4R160=1, =2 KISS Lanyard System | L5671 | Suspension Lock (shuttle, lanyard, or equal) |
|--|-------|--|

## SOCKS

|                                       |       |   |
|---------------------------------------|-------|---|
| 453D4, D5, D7 Derma Seal              | L8417 | Sheath/Sock, including Gel cushion layer. |
| 451F4=20 TF Residual Limb Sock-Nylon  | L8410 | Sheath, above knee                        |
| 451F6=20 TF Residual Limb Sock-Cotton | L8430 | Sock, multiple ply                        |

## PROTECTIVE COVERING (if used)

|  |        |   |
|--|--------|---|
| 3S26=L44 Cosmetic Foam Cover                       | L5705  |   |
| 4X840 Kenevo Protective Cover                      | *L5999 | Ottobock 4X840 Kenevo Protector                         |
| 4X860 + 4P863=*<br>C-Leg Protective Cover + Shield | *L5999 | Ottobock 4X860=* C-Leg Protective Cover                 |
| 4P862 + 4P863=*<br>C-Leg Guard + Shield            | *L5999 | Ottobock 4P862 C-Leg Guard Protective Cover             |
| 4X880 Genium Protective Cover                      | *L5999 | Ottobock 4X880 Genium Protective Cover                  |
| 4X193-1 X3 Protective Cover                        | *L5999 | Ottobock 4X193-1 Protective Cover for the X3 Knee       |
| 4X900 X3 Protective Cover                          | *L5999 | Ottobock 4X900 Protective Cover for the X3 Knee.        |
| 99B16 Soft Touch Stocking                          | A4467  | Above knee, flexible, protective outer surface covering |

\*It is not recommended to bill L5999 to Medicare for protective covers.

## ADAPTORS (if used)

|   |                    |  |
|---|--------------------|--|
| 4R10=111 Quickchange<br>(C-Leg/Genium/X3/Kenevo)                              | L5617              | Quick change self-aligning unit  |
| 4R57 Rotation Adaptor<br>4R57=WR Rotation Adapter<br>(C-Leg/Genium/X3/Kenevo) | L5926              | (contact <a href="#">Ottobock Reimbursement</a> if your payer does not have L5926 on their fee schedule) |
| 4R40 Torsion Adapter<br>(C-Leg/Genium/X3/Kenevo)                              | <sup>2</sup> L5984 | Axial rotation unit, with or without adjustability   |

## **BATTERY/CHARGER (Replacement only) \*Contact service department for battery replacement**

|  |       |   |
|--|-------|---|
| 4E50 + 757L16<br>C-Leg Charger and Adapter     | L7368 | Charger & Adapter for Lithium Ion Battery, replacement only (initial charger included in microprocessor code) |
| 4E60 + 757L16<br>Genium/X3 Charger and Adapter | L7368 | Charger & Adapter for Lithium Ion Battery, replacement only (initial charger included in microprocessor code) |
| 4E70 + 757L16<br>Kenevo Charger and Adapter    | L7368 | Charger & Adapter for Lithium Ion Battery, replacement only (initial charger included in microprocessor code) |
| 757L38 + 757L39<br>Empower Charger and Adapter | L7368 | Charger & Adapter for Lithium Ion Battery, replacement only (initial charger included in microprocessor code) |
| 757B38<br>Empower Battery                      | L7367 | Lithium Ion Battery, replacement only (initial battery included in microprocessor code)                       |
| Li-Ion Battery<br>(C-Leg/Genium/X3/Kenevo)     | L7367 | Lithium Ion Battery, replacement only (initial battery included in microprocessor code)                       |

## **PYLONS (Replacement only)**

|  |                                   |   |
|--|-----------------------------------|---|
| 2R57 Tube Adaptor<br>(C-Leg)                           | L7510                             | Replace 2R57 Electronic Pylon on Ottobock C-Leg (include model #, original purchase date, reason for replacement, continued medical need & MSRP)  |
| 2R67 Tube Adaptor w/ Torsion<br>(C-Leg)                | <sup>2</sup> L5984<br>or<br>L7510 | (initial claim only) Axial rotation unit, with or without adj.<br><br>Replace 2R67 Electronic Pylon w/ Torsion on Ottobock C-Leg (include model number, original purchase date, reason for replacement, continued medical need & MSRP)            |
| 2R17 Axon Tube Adaptor<br>(Kenevo)                     | L7510                             | Replace 2R17 Electronic Pylon on Ottobock Kenevo (include model #, original purchase date, reason for replacement, continued medical need & MSRP)   |
| 2R19 Axon Tube Adapter<br>(X3)                         | L7510                             | Replace 2R19 Electronic Pylon on Ottobock X3 (include model #, original purchase date, reason for replacement, continued medical need & MSRP)   |
| 2R20 Axon Tube Adapter<br>(Kenevo/Genium)              | L7510                             | Replace 2R20 Electronic Pylon on Ottobock Genium/Kenevo (include model #, original purchase date, reason for replacement, continued medical need & MSRP)  |
| 2R21 Axon Tube Adaptor<br>w/Torsion<br>(Kenevo/Genium) | <sup>2</sup> L5984<br>or<br>L7510 | (Initial claim only) Axial rotation unit, with or without adjustability<br><br>Replace 2R21 Electronic Pylon w/Torsion on Ottobock Genium/Kenevo (include model #, original purchase date, reason for replacement, continued medical need & MSRP) |

### **Disclaimer**

<sup>1</sup> The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides do not replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.

<sup>2</sup> Coding and/or coverage restrictions may apply to this code. Please check with your payer.

### **Ottobock North America Reimbursement**

P 800 328 4058 F 800 230 3962  
US: <https://shop.ottobock.us>  
[reimbursement911@ottobock.com](mailto:reimbursement911@ottobock.com)